



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/002,685

11/15/2001

Konrad C. Lagarde

POU920010163US1

4648

23334

7590

03/17/2006

FLEIT, KAIN, GIBBONS, GUTMAN, BONGINI

& BIANCO P.L.

ONE BOCA COMMERCE CENTER

551 NORTHWEST 77TH STREET, SUITE 111

BOCA RATON, FL 33487

EXAMINER

NGUYEN, THUONG

ART UNIT

PAPER NUMBER

2155

DATE MAILED: 03/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/002,685	Applicant(s) LAGARDE ET AL.	
	Examiner Thuong (Tina) T. Nguyen	Art Unit 2155	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 November 2001.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-70 is/are pending in the application.
- 4a) Of the above claim(s) 1-70 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 4-14, 16-26, 28-38, 40-53, 55-67, 69 and 70 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>9/16/02</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is responsive to the amendment filed on 1/12/06. Claims 1, 5, 13, 17, 25, 29, 37, 41, 43, 50, 52, 55-56, and 65-67 were amended. Claims 3, 15, 27, 39, 54, and 68 were cancelled. Claims 1-2, 4-14, 16-26, 28-38, 40-53, 55-67, and 69-70 are pending. Claims 1-2, 4-14, 16-26, 28-38, 40-53, 55-67, and 69-70 represent system, method and computer-readable medium for accessing information using an instant messaging system.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 1, 5, 13, 25, 29, 37, 41, 50, 51, 52, 56, 65 and 66 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It's unclear to the examiner what is the calling convention, what is the functionality of the calling convention.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 1-2, 4-14, 16-26, 28-38, 40-53, 55-67, and 69-70 are rejected under 35 U.S.C. 102(e) as being anticipated by Petrovykh Patent No. US 2002/055975 A1. Petrovykh teaches the invention as claimed including method and apparatus for intelligent routing of instant messaging presence protocol (IMPP) events among a group of customer service representatives (see abstract).

6. As to claim 1, Petrovykh teaches a system, comprising:

an interface to a plurality of mutually registered client messaging applications, wherein the interface is mutually registered with at least one of the plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the system that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

connecting with the interface (page 7, paragraph 80; Petrovykh discloses that the system provided the portability between the customer interface such as Java script, X- Windows script, plug-in etc. for the instant message);

receiving a message from a the at least one of the plurality of client messaging applications via the interface (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining the destination of the message, wherein the destination is a third party application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the system which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; Petrovykh discloses that the system of translating all kinds of supported IM protocols into one unified protocol supported by CSRs such as third party and the proxy acts as Botserver uses FATS software to translate to a selected CSR IP address on LAN); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

7. As to claim 2, Petrovykh teaches the system as recited in claim 1, comprises of receiving a message from a client messaging application via the interface, wherein the message includes a request for information (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from user that matches the intent of the user request from the instant message).

8. Claim 3 was cancelled.

9. As to claim 4, Petrovykh teaches the system as recited in claim 2, comprises:

receiving information from the third party application in a return message (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the system of receiving the

request from the user, which is the third party application; Petrovykh also discloses that the system which provided the intelligent routing for third-party hosted by IM messaging);

determining the destination of the return message, wherein the destination is a client messaging application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the system which determined the client messaging presence as being connected through the CSR);

selecting the client messaging application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the client messaging as part of the callback preferences); and

transmitting the message to the client messaging application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

10. As to claim 5, Petrovykh teaches the system as recited in claim 4, comprises translating a calling convention of the return message to the calling convention of the client messaging application determined to be the destination of the message (page 18, paragraph 187, 190, 195; page 19, paragraph 207; Petrovykh discloses that the system of translating the IM protocols into one unified protocol supported by CSRs so that the proxy server could forward the message to the third party, which is the destination clients).

11. As to claim 6, Petrovykh teaches the system as recited in claim 1, comprises an API for interfacing with a plurality of mutually registered client messaging applications and for registering with at least one of the plurality of client messaging applications (page 12,

paragraph 128; Petrovykh discloses that the system comprised the API for the instant messaging service including client and server sides).

1. As to claim 7, Petrovykh teaches the system as recited in claim 4, comprises an API for translating the request for information to the third party application and for translating the return message to the client messaging application (page 8, paragraph 84; Petrovykh discloses that the system for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software) .

12. As to claim 8, Petrovykh teaches the system as recited in claim 1, wherein the client messaging application comprises an instant messaging application for sending and receiving instant messages (page 8, paragraph 88; page 11, paragraph 116; page 12, paragraph 132; Petrovykh discloses that the system to formulate the response of an instant message and combined the status information for the bi-directional messages).

13. As to claim 9, Petrovykh teaches the system as recited in claim 8, wherein the instant messaging application comprises any one of: Lotus Sametime Messaging; America Online Instant Messenger; MSN Messenger Service; Yahoo Messenger; ICQ; Jabber Instant Messaging; and a Telnet utility (page 9, paragraph 95; page 10, paragraph 108; Petrovykh discloses that the system using multiple protocol such as MSN Messenger Service, ICQ).

14. As to claim 10, Petrovykh teaches the system as recited in claim 1, wherein the third party application comprises a messaging server (page 11, paragraph 114; Petrovykh discloses that the system for the third party presence service being used in communication center).

15. As to claim 11, Petrovykh teaches the system as recited in claim 10, wherein the messaging server comprises any one of: an IBM MQSeries server; a Microsoft Transaction

Art Unit: 2155

server; a Lotus Domino server; and an LDAP utility (page 17, paragraph 183; Petrovykh discloses that the system for the IMPP service provider such as AOL IM service, IMPP service).

16. As to claim 12, Petrovykh teaches the system as recited in claim 4, wherein the third party application retrieves the requested information from any one of: a personal finance database; a stock market database; a personal contact database; a web site; an FTP site; and a gopher site (page 7, paragraph 74; Petrovykh discloses that the system which produced the status responded to the user which corresponding to the user requested).

17. As to claim 13, Petrovykh teaches the system, comprising:

an interface to a mutually registered client messaging application, wherein the interface is mutually registered with the client messaging application (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the system that communicates with a plurality of users connected to the interface server for instant message type and status reports of clients);

connecting with the interface (page 7, paragraph 80; Petrovykh discloses that the system provided the portability between the customer interface such as Java script, X- Windows script, plug-in etc. of the instant message);

receiving a message from the client messaging application via the interface (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from user that matches the intent of the user request from the instant message);

determining the destination of the message, wherein the destination is one of a plurality of third party applications (page 11, paragraph 114; page 17, paragraph 177;

Petrovykh discloses that the system which determined the third-party presence as being connected through the CSR);

selecting a third party application from the plurality of third party applications determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the client messaging as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the system of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination message; using API to connect to the server driven service application including client-side and server-side component) ; and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

18. As to claim 14, Petrovykh teaches the system as recited in claim 13, comprises receiving a message from the client messaging application via the interface, wherein the message includes a request for information (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from user that matches the intent of the user request from the instant message).

19. Claim 15 was cancelled.

20. As to claim 16, Petrovykh teaches the system as recited in claim 13, comprises receiving information from the third party application in a return message (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the system of receiving the request from the user, which is the third party application; Petrovykh also discloses that the system provided the intelligent routing for third-party hosted by IM messaging);

determining the destination of the return message, wherein the destination is the client messaging application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the system which determined the client messaging presence as being connected through the CSR);

selecting the client messaging application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the client messaging as part of the callback preferences); and

transmitting the message to the client messaging application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on client requested).

21. As to claim 17, Petrovykh teaches the system as recited in claim 16, comprises translating a calling convention of the return message to the calling convention of the client messaging application determined to be the destination of the message (page 18, paragraph 187, 190, 195; page 19, paragraph 207; Petrovykh discloses that the system of translating the IM protocols into one unified protocol supported by CSRs so that the proxy server could forward the message to the third party, which is the destination clients).

22. As to claim 18, Petrovykh teaches the system as recited in claim 13, comprises an API for interfacing with the client messaging application and for registering with the plurality of client messaging application (page 12, paragraph 128; Petrovykh discloses that the system comprised the API for the instant messaging service including client and server sides).

23. As to claim 19, Petrovykh teaches the system as recited in claim 16, comprises an API for translating the request for information to the third party application determined to be the destination of the message and for translating the return message to the client messaging application (page 8, paragraph 84; Petrovykh discloses that the system for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software).

24. As to claim 20, Petrovykh teaches the system as recited in claim 13, wherein the client messaging application comprises an instant messaging application for sending and receiving instant messages (page 8, paragraph 88; page 11, paragraph 116; page 12, paragraph 132; Petrovykh discloses that the system to formulate the response of an instant message and combined the status information for the bi-directional messages).

25. As to claim 21, Petrovykh teaches the system as recited in claim 20, wherein the instant messaging application comprises any one of: Lotus Sametime Messaging; America Online Instant Messenger; MSN Messenger Service; Yahoo Messenger; ICQ; Jabber Instant Messaging; and a Telnet utility (page 9, paragraph 95; page 10, paragraph 108; Petrovykh discloses that the system using multiple protocol such as MSN Messenger Service, ICQ).

26. As to claim 22, Petrovykh teaches the system as recited in claim 13, wherein each of the plurality of third party applications comprise a messaging server (page 11, paragraph

Art Unit: 2155

114; Petrovykh discloses that the system for the third party presence service being used in communication center).

27. As to claim 23, Petrovykh teaches the system as recited in claim 22, wherein the messaging server comprises any one of: an IBM MQSeries server; a Microsoft Transaction server; a Lotus Domino server; and an LDAP utility (page 17, paragraph 183; Petrovykh discloses that the system for the IMPP service provider such as AOL IM service, IMPP service).

28. As to claim 24, Petrovykh teaches the system as recited in claim 16, wherein each of the plurality of third party applications retrieve the requested information from any one of: a personal finance database; a stock market database; a personal contact database; a web site; an FTP site; and a gopher site (page 7, paragraph 74; Petrovykh discloses that the system which produced the status responded to the user which corresponding to the user requested).

29. As to claim 25, Petrovykh teaches the system, comprising:

an interface to a plurality of mutually registered client messaging applications, wherein the interface is mutually registered with at least one of the plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the system that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

connecting with the interface (page 7, paragraph 80; Petrovykh discloses that the system provided the portability between the customer interface such as Java script, X- Windows script, plug-in etc. for the instant message);

receiving a message from the at least one of the plurality of client messaging applications via the interface (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining the destination of the message, wherein the destination is one of a plurality of third party applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the system which determined the third-party presence as being connected through the CSR);

selecting one of a plurality of third party applications determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the system of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination message; using API to connect to the server driven service application including client-side and server-side component); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

30. As to claim 26, Petrovykh teaches the system as recited in claim 25, comprises receiving a message from one of a plurality of client messaging applications via the interface, wherein the message includes a request for information (page 7, paragraph 73; Petrovykh discloses that the system of receiving and registering a request from user that matches the intent of the user request from the instant message).

31. Claim 27 was cancelled.

32. As to claim 28, Petrovykh teaches the system as recited in claim 26, comprises:
receiving information from the third party application in a return message (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the system of receiving the request from the user, which is the third party application; Petrovykh also discloses that the system which provided the intelligent routing for third-party hosted by IM messaging);

determining the destination of the return message, wherein the destination is one of a plurality of client messaging applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the system which determined the client messaging presence as being connected through the CSR);

selecting the client messaging application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the system of selecting the client messaging as part of the callback preferences); and

transmitting the message to the client messaging application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the system of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

33. As to claim 29, Petrovykh teaches the system as recited in claim 28, comprises translating a calling convention of the return message to the calling convention of the client messaging application determined to be the destination of the message (page 18, paragraph 187, 190, 195; page 19, paragraph 207; Petrovykh discloses that the system of translating the IM protocols into one unified protocol supported by CSRs so that the proxy server could forward the message to the third party, which is the destination clients).

34. As to claim 30, Petrovykh teaches the system as recited in claim 25, comprises an API for interfacing with a plurality of mutually registered client messaging applications and for registering with at least one of the plurality of client messaging applications (page 12, paragraph 128; Petrovykh discloses that the system comprised the API for the instant messaging service including client and server sides).

35. As to claim 31, Petrovykh teaches the system as recited in claim 28, comprises an API for translating the request for information to the third party application determined to be the destination of the message and for translating the return message to the client messaging application determined to be the destination of the message (page 8, paragraph 84; Petrovykh discloses that the system for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software).

36. As to claim 32, Petrovykh teaches the system as recited in claim 25, wherein each of the plurality of client messaging applications comprise an instant messaging application for sending and receiving instant messages (page 8, paragraph 88; page 11, paragraph 116; page 12, paragraph 132; Petrovykh discloses that the system to formulate the response of an instant message and combined the status information for the bi-directional messages).

37. As to claim 33, Petrovykh teaches the system as recited in claim 32, wherein the instant messaging application comprises any one of: Lotus Sametime Messaging; America Online Instant Messenger; MSN Messenger Service; Yahoo Messenger; ICQ; Jabber Instant Messaging; and a Telnet utility (page 9, paragraph 95; page 10, paragraph 108; Petrovykh discloses that the system using multiple protocol such as MSN Messenger Service, ICQ).

38. As to claim 34, Petrovykh teaches the system as recited in claim 25, wherein each of the plurality of third party applications comprise a messaging server (page 11, paragraph 114; Petrovykh discloses that the system for the third party presence service being used in communication center).

39. As to claim 35, Petrovykh teaches the system as recited in claim 34, wherein the messaging server comprises any one of: an IBM MQSeries server; a Microsoft Transaction server; a Lotus Domino server; and an LDAP utility (page 17, paragraph 183; Petrovykh discloses that the system for the IMPP service provider such as AOL IM service, IMPP service).

40. As to claim 36, Petrovykh teaches the system as recited in claim 28, wherein each of the plurality of third party applications retrieve the requested information from any one of: a personal finance database; a stock market database; a personal contact database; a web site; an FTP site; and a gopher site (page 7, paragraph 74; Petrovykh discloses that the system which produced the status responded to the user which corresponding to the user requested).

41. As to claim 37, Petrovykh teaches the method, comprising:

registering with at least one of a plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the method that

communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving a message from one of the plurality of client messaging applications (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining the destination of the message, wherein the destination is a third party application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the method which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the method of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; Petrovykh discloses that the method of translating all kinds of supported IM protocols into one unified protocol supported by CSRs such as third party and the proxy acts as Botserver uses FATS software to translate to a selected CSR IP address on LAN); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the method of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

42. As to claim 38, Petrovykh teaches the method as recited in claim 37, comprises receiving a message from one of a plurality of client messaging applications, wherein the

message includes a request for information (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from user that matches the intent of the user request from the instant message).

43. Claim 39 was cancelled.

44. As to claim 40, Petrovykh teaches the method as recited in claim 37, comprising:

receiving information from the third party application in a return message (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the method of receiving the request from the user, which is the third party application; Petrovykh also discloses that the method which provided the intelligent routing for third-party hosted by IM messaging);

determining the destination of the return message, wherein the destination is one of a plurality of client messaging applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the method which determined the client messaging presence as being connected through the CSR);

selecting the client messaging application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the method of selecting the client messaging as part of the callback preferences); and

transmitting the message to the client messaging application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the method of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

45. As to claim 41, Petrovykh teaches the method as recited in claim 40, comprises translating a calling convention of the return message to the calling convention of the client messaging application determined to be the destination of the message (page 18, paragraph

187, 190, 195; page 19, paragraph 207; Petrovykh discloses that the method of translating the IM protocols into one unified protocol supported by CSRs so that the proxy server could forward the message to the third party, which is the destination clients).

46. As to claim 42, Petrovykh teaches the method as recited in claim 37, comprises receiving, via an API, a message from one of a plurality of client messaging applications, wherein the API interfaces with the plurality of mutually registered client messaging applications and registers with at least one of the plurality of client messaging applications (page 12, paragraph 128; Petrovykh discloses that the method comprised the API for the instant messaging service including client and server sides).

47. As to claim 43, Petrovykh teaches the method as recited in claim 40, wherein the translation is performed by an API (page 8, paragraph 84; Petrovykh discloses that the method for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software).

48. As to claim 44, Petrovykh teaches the method as recited in claim 43, comprises translating, by the API, the return message to the client messaging application (page 8, paragraph 84; Petrovykh discloses that the method for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software).

49. As to claim 45, Petrovykh teaches the method as recited in claim 37, wherein each of the plurality of client messaging applications comprise an instant messaging application for sending and receiving instant messages (page 8, paragraph 88; page 11, paragraph 116; page 12, paragraph 132; Petrovykh discloses that the method to formulate the response of an instant message and combined the status information for the bi-directional messages).

50. As to claim 46, Petrovykh teaches the method as recited in claim 45, wherein the instant messaging application comprises any one of: Lotus Sametime Messaging; America Online Instant Messenger; MSN Messenger Service; Yahoo Messenger; ICQ; Jabber Instant Messaging; and a Telnet utility (page 9, paragraph 95; page 10, paragraph 108; Petrovykh discloses that the method using multiple protocol such as MSN Messenger Service, ICQ).

51. As to claim 47, Petrovykh teaches the method as recited in claim 37, wherein the third party application comprises a messaging server (page 11, paragraph 114; Petrovykh discloses that the method for the third party presence service being used in communication center).

52. As to claim 48, Petrovykh teaches the method as recited in claim 47, wherein the messaging server comprises any one of: an IBM MQSeries server; a Microsoft Transaction server; a Lotus Domino server; and an LDAP utility (page 17, paragraph 183; Petrovykh discloses that the method for the IMPP service provider such as AOL IM service, IMPP service).

53. As to claim 49, Petrovykh teaches the method as recited in claim 40, wherein the third party application retrieves the requested information from any one of: a personal finance database; a stock market database; a personal contact database; a web site; an FTP site; and a gopher site (page 7, paragraph 74; Petrovykh discloses that the method which produced the status responded to the user which corresponding to the user requested).

54. As to claim 50, Petrovykh teaches the method, comprising:

registering with a client messaging application (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the method that communicates with a plurality of

users connected to the interface server for instant message type and status reports of the clients);

receiving a message from the client messaging application (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the message, wherein the destination is one of a plurality of third party applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the method which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the method of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the method of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination message; using API to connect to the server driven service application including client-side and server-side component); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that

the method of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

55. As to claim 51, Petrovykh teaches the method, comprising:

registering with at least one of a plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the method that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving a message from one of the plurality of client messaging applications (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the message, wherein the destination is one of a plurality of third party applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the method which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the method of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the method of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination

message; using API to connect to the server driven service application including client-side and server-side component); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the method of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

56. As to claim 52, Petrovykh teaches the computer readable, comprising:

registering with at least one of a plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the computer readable that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving a message from one of the plurality of client messaging applications (page 7, paragraph 73; Petrovykh discloses that the computer readable of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the message, wherein the destination is a third party application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the computer readable which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the computer readable of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message (page 18, paragraph 187,

190 and 195; page 19, paragraph 207; Petrovykh discloses that the computer-readable of translating all kinds of supported IM protocols into one unified protocol supported by CSRs such as third party and the proxy acts as Botserver uses FATS software to translate to a selected CSR IP address on LAN); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the computer readable of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

57. As to claim 53, Petrovykh teaches the computer readable as recited in claim 52, comprises receiving a message from one of the plurality of client messaging applications, wherein the message includes a request for information (page 7, paragraph 73; Petrovykh discloses that the computer readable of receiving and registering a request from user that matches the intent of the user request from the instant message).

58. Claim 54 was cancelled.

59. As to claim 55, Petrovykh teaches the computer readable as recited in claim 53, comprising:

receiving information from the third party application in a return message (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the method of receiving the request from the user, which is the third party application; Petrovykh also discloses that the computer readable which provided the intelligent routing for third-party hosted by IM messaging);

determining a destination of the return message, wherein the destination is one of the pluralities of client messaging applications (page 11, paragraph 114; page 17, paragraph

177; Petrovykh discloses that the computer readable which determined the client messaging presence as being connected through the CSR);

selecting the client messaging application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the computer readable of selecting the client messaging as part of the callback preferences); and

transmitting the message to the client messaging application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the computer readable of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

60. As to claim 56, Petrovykh teaches the computer readable as recited in claim 55, comprises translating a calling convention of the return message to the calling convention of the client messaging application determined to be the destination of the message (page 18, paragraph 187, 190, 195; page 19, paragraph 207; Petrovykh discloses that the computer-readable of translating the IM protocols into one unified protocol supported by CSRs so that the proxy server could forward the message to the third party, which is the destination clients).

61. As to claim 57, Petrovykh teaches the computer readable as recited in claim 52, comprises receiving, via an API, a message from one of a plurality of client messaging applications, wherein the API interfaces with the plurality of mutually registered client messaging applications and registers with at least one of the plurality of client messaging applications (page 12, paragraph 128; Petrovykh discloses that the computer readable comprised the API for the instant messaging service including client and server sides).

62. As to claim 58, Petrovykh teaches the computer readable as recited in claim 55, wherein the translation is performed by an API (page 8, paragraph 84; Petrovykh discloses that the computer readable for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software)..

63. As to claim 59, Petrovykh teaches the computer readable as recited in claim 58, comprising translation, by the API, the return message to the client messaging application determined to be the destination of the message (page 8, paragraph 84; Petrovykh discloses that the computer readable for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software)..

64. As to claim 60, Petrovykh teaches the computer readable as recited in claim 52, wherein the client messaging application comprises an instant messaging application for sending and receiving instant messages (page 8, paragraph 88; page 11, paragraph 116; page 12, paragraph 132; Petrovykh discloses that the computer readable to formulate the response of an instant message and combined the status information for the bi-directional messages).

65. As to claim 61, Petrovykh teaches the computer readable as recited in claim 60, wherein the instant messaging application comprises any one of: Lotus Sametime Messaging; America Online Instant Messenger; MSN Messenger Service; Yahoo Messenger; ICQ; Jabber Instant Messaging; and a Telnet utility (page 9, paragraph 95; page 10, paragraph 108; Petrovykh discloses that the computer readable using multiple protocol such as MSN Messenger Service, ICQ).

66. As to claim 62, Petrovykh teaches the computer readable as recited in claim 52, wherein the third party application comprises a messaging server (page 11, paragraph 114;

Petrovykh discloses that the computer readable for the third party presence service being used in communication center).

67. As to claim 63, Petrovykh teaches the computer readable as recited in claim 62, wherein the messaging server comprises any one of: an IBM MQSeries server; a Microsoft Transaction server; a Lotus Domino server; and an LDAP utility (page 17, paragraph 183; Petrovykh discloses that the computer readable for the IMPP service provider such as AOL IM service, IMPP service).

68. As to claim 64, Petrovykh teaches the computer readable as recited in claim 55, wherein the third party application retrieves the requested information from any one of: a personal finance database; a stock market database; a personal contact database; a web site; an FTP site; and a gopher site (page 7, paragraph 74; Petrovykh discloses that the computer readable which produced the status responded to the user which corresponding to the user requested).

69. As to claim 65, Petrovykh teaches the computer readable, comprising:
registering with a client messaging application (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the computer readable that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving a message from the client messaging application (page 7, paragraph 73; Petrovykh discloses that the computer readable of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the message, wherein the destination is one of the pluralities of third party applications (page 11, paragraph 114; page 17, paragraph 177;

Petrovykh discloses that the computer readable which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the computer readable of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the computer-readable of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination message; using API to connect to the server driven service application including client-side and server-side component); and

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the computer readable of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

70. As to claim 66, Petrovykh teaches the computer readable, comprising:

registering with at least one of a plurality of client messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the computer readable that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving a message from one of the plurality of client messaging applications (page 7, paragraph 73; Petrovykh discloses that the computer readable of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the message, wherein the destination is one of the pluralities of third party applications (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the computer readable which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the computer readable of selecting the third party as part of the callback preferences);

translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message so as to provide a level of abstraction between the interface and the plurality of third party applications (page 18, paragraph 187, 190 and 195; page 19, paragraph 207; page 12, paragraph 128; Petrovykh discloses that the computer-readable of translating the IM protocols into one unified protocols supported by CSRs so that the proxy server would forward to the third party which is the destination message; using API to connect to the server driven service application including client-side and server-side component);

transmitting the message to the third party application determined to be the destination of the message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the computer readable of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).

71. As to claim 67, Petrovykh teaches the method, comprising:

registering with at least one of a plurality of instant messaging applications (page 10, paragraph 110 & 112; page 11, paragraph 119; Petrovykh discloses the method that communicates with a plurality of users connected to the interface server for instant message type and status reports of the clients);

receiving from an instant messaging application an instant message including a request for information (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from users which matches the intent of the user request from the instant message);

determining a destination of the instant message, wherein the destination is a third party application (page 11, paragraph 114; page 17, paragraph 177; Petrovykh discloses that the method which determined the third-party presence as being connected through the CSR);

selecting the third party application determined to be the destination of the message (page 12, paragraph 123; Petrovykh discloses that the method of selecting the third party as part of the callback preferences);

translating the request for information in the instant message into a request for information compatible with the third party application determined to be the destination of the instant message (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the method of transmitting the instant message through the agent which perform a variety of tasks based on the client requested).; and

transmitting the translated request for information to the third party application, wherein the third party application processes the translated request for information (page 8, paragraph 84; Petrovykh discloses that the method for compiled and skill levels, language preferences, ranking of the entire configuration of agent monitoring software).

72. Claim 68 was cancelled.

73. As to claim 69, Petrovykh teaches the method as recited in claim 67, comprises receiving from an instant messaging application an instant message including a request for information (page 7, paragraph 73; Petrovykh discloses that the method of receiving and registering a request from user that matches the intent of the user request from the instant message).

74. As to claim 70, Petrovykh teaches the method as recited in claim 67, comprising:
receiving information from the third party application (page 8, paragraph 86; page 19, paragraph 200; Petrovykh discloses that the method of receiving the request from the user, which is the third party application; Petrovykh also discloses that the method which provided the intelligent routing for third-party hosted by IM messaging);

generating an instant message including the received information (page 12, paragraph 123; Petrovykh discloses that the method of generating the client messaging as part of the callback preferences); and

sending the generated instant message to the instant messaging application (page 14, paragraph 157; page 15, paragraph 158; Petrovykh discloses that the method of sending the instant message through the agent which perform a variety of tasks based on the client requested).

Response to Arguments

Applicant's arguments filed 1/12/06 have been fully considered but they are not persuasive. In response to Applicant's argument, the Patent Office maintains the rejection. In the

remarks, the applicant argues in substance that; A) Petrovykh does not determine the destination of the message, wherein the destination is a third party application; B) There is no selecting the third party application determined to be the destination of the message; C) There is no in Petrovykh to transmit the message to the third party application determined to be the destination of the message; D) Translating a calling convention of the message to a calling convention of the third party application determined to be the destination of the message.

In response to A); The third-party presence service in this system is being used in the communication center which is the customer's mobile, cellular... Therefore, the destination is not the calling center.

In response to B); The third-party is the MSN Messenger Service or ICQ... which allow the agents to communicate with the third party, therefore, determine the destination of the third party.

In response to C); The client can communicate with the agent over the communication center which able to transmit the message to the third-party and perform tasks to check on current status and performing.

In response to D); According in the specification, the API offers a level of abstraction between a high level application program and a lower level application program that was written without consideration for the calling conventions supported by the high level application program. Petrovykh uses the proxy server to acts as Botserver and the API to translate the calling convention for the lower level application.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuong (Tina) Nguyen whose telephone number is 571-272-3864, and the fax number is 571-273-3864. The examiner can normally be reached on 8:00 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar can be reached on 571-272-4006. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thuong (Tina) Nguyen
Patent Examiner/Art Unit 2155



SALEH NAJJAR
SUPERVISORY PATENT EXAMINER